

G3G315-M3G150FF

## EC centrifugal fan

backward-curved, single-intake

Gas blower for condensing boilers



Beijing Hengrui Mechanical and Electrical Equipment Co.,Ltd

Phone +86 10-62547612

zhangyu@bjhengrui.cn

en.bjhengrui.com

### Nominal data

| Type                        | G3G315-M3G150FF   |            |
|-----------------------------|-------------------|------------|
| Phase                       |                   | 3~         |
| Nominal voltage range       | VAC               | 380 .. 480 |
| Frequency                   | Hz                | 50/60      |
| Valid for approval/standard |                   | VDE        |
| Speed (rpm)                 | min <sup>-1</sup> | 6000       |
| Power consumption           | W                 | 8000       |
| Air flow                    | m <sup>3</sup> /h | 4600       |
| Pressure increase           | Pa                | 6200       |

ml = Max. load · me = Max. efficiency · fa = Free air · cs = Customer specification · ce = Customer equipment  
Subject to change



# EC centrifugal fan

backward-curved, single-intake

Gas blower for condensing boilers

## Technical description

|                   |                       |
|-------------------|-----------------------|
| Weight            | 34.5 kg               |
| Dimensions        | 549 x 529 x 365 mm mm |
| Impeller material | Sheet aluminum        |
| Housing material  | Die-cast aluminum     |
| Approval          | VDE, CE               |



# EC centrifugal fan

backward-curved, single-intake

Gas blower for condensing boilers

## Product drawing

